


# White-eyed Vireo

## Virginia's Second Breeding Bird Atlas


### Environmental Associations




White-eyed Vireo © Baxter Beamer; Cornell Lab of Ornithology | Macaulay Library




Percent Agricultural Cover



Percent Development



Percent Shrubland/Grassland Cover



Percent Forest Cover

The graphs presented on this page illustrate the probability that a species will occur within a block based on the values of significant environmental variables for that block in the Second Atlas species' distribution models. Probability of occurrence ranges from 0 to 1 (vertical axis). Depending on the graph, the horizontal axis depicts 1) the percentage of a block covered by a habitat type (e.g., grassland and shrubland) or 2) a value from low to high for climate variables (e.g., mean annual rainfall) and landscape-level features (e.g., diversity of habitat types) within a block. The dark line indicates the relationship between occurrence and the variable. There is a 95% probability (confidence interval) that this relationship falls between the gray lines. The black tick marks at the bottom of the graph show where individual blocks fall on the horizontal axis, to demonstrate the spread of values for the blocks in the model.


# White-eyed Vireo

## Virginia's Second Breeding Bird Atlas


### Environmental Associations




**White-eyed Vireo** © Baxter Beamer; Cornell Lab of Ornithology | Macaulay Library



**Number of Forest Patches**



**Size of Largest Forest Patch**



**Diversity of Habitat Types**

The graphs presented on this page illustrate the probability that a species will occur within a block based on the values of significant environmental variables for that block in the Second Atlas species' distribution models. Probability of occurrence ranges from 0 to 1 (vertical axis). Depending on the graph, the horizontal axis depicts 1) the percentage of a block covered by a habitat type (e.g., grassland and shrubland) or 2) a value from low to high for climate variables (e.g., mean annual rainfall) and landscape-level features (e.g., diversity of habitat types) within a block. The dark line indicates the relationship between occurrence and the variable. There is a 95% probability (confidence interval) that this relationship falls between the gray lines. The black tick marks at the bottom of the graph show where individual blocks fall on the horizontal axis, to demonstrate the spread of values for the blocks in the model.